

No. 608 PATONS MOHAIR BRUSHED KNITTING YARN





A Skirt for any Jacket or any Jumper

'CHECKERS'

IN TWO SIZES

PATONS MOHAIR BRUSHED KNITTING YARN

71% MOHAIR 23% WOOL 6% NYLON
MOTHPROOFED

Size A . . . 15 balls. Size B . . . 16 balls.

Width around waist—

Size A . . . 24 ins. Size B . . . 27 ins.

Width around hips—

Size A . . . 36 ins. Size B . . . 39 ins.

Length from waist to hem—

Size A . . . 26½ ins. Size B . . . 27½ ins.

Patons Beehive Knitting Needles or Queen Bee Knitting Needles, 1 pair No. 8, measured on a Beehive Needle Gauge, or whichever needle size you require to produce the tension given below.

8 inch Lightning Zipp Fastener (Red Pack).

Length of 1 inch wide Petersham for waist.

Two yards of 1 inch wide Petersham Ribbon for hem.

One Hook and Eye.

ABBREVIATIONS: See page 18.

TENSION: 11 stitches to 2 inches in width, measured over plain smooth fabric. Check tension: See page 8.

Instructions are for smaller size A. Larger size B is shown thus [B—. . .]. Where one set of figures is given, this applies to both sizes.

Note:—to obtain the best results, we recommend using two balls at the same time, viz:—Work two rows with the first ball, two rows with the second ball, then two rows with the first ball etc.

THE FRONT—Cast on 116 [B—124] stitches.

1st row.—Knit. 2nd row.—Purl.

Continue in plain smooth fabric until work measures 12 [B—13] ins. from commencement, finishing at end of a purl row.

Note:—If desiring to alter length of skirt, do so before commencing shaping.

Dec. once at each end of needle in next row and every following 18th row three times. (108 [B—116] sts.).

Work 5 rows without shaping.

Proceed as follows:—

1st row.—K.2 tog., K.33 [B—K.36], K.2 tog.t.b.l., K.34 [B—K.36], K.2 tog., K.33 [B—K.36], K.2 tog.

Work 5 rows without shaping, also after rows 7 and 13.

7th row.—K.2 tog., K.31 [B—K.34], K.2 tog.t.b.l., K.34 [B—K.36], K.2 tog., K.31 [B—K.34], K.2 tog.

13th row.—K.2 tog., K.29 [B—K.32], K.2 tog.t.b.l., K.34 [B—K.36], K.2 tog., K.29 [B—K.32], K.2 tog.

19th row.—K.2 tog., K.27 [B—K.30], K.2 tog.t.b.l., K.34 [B—K.36], K.2 tog., K.27 [B—K.30], K.2 tog.

Work 3 rows without shaping, also after rows 23, 27, 31 and 35.

23rd row.—K.2 tog., K.25 [B—K.28], K.2 tog.t.b.l., K.34 [B—K.36], K.2 tog., K.25 [B—K.28], K.2 tog.

27th row.—K.2 tog., K.23 [B—K.26], K.2 tog.t.b.l., K.34 [B—K.36], K.2 tog., K.23 [B—K.26], K.2 tog.

31st row.—K.2 tog., K.21 [B—K.24], K.2 tog.t.b.l., K.34 [B—K.36], K.2 tog., K.21 [B—K.24], K.2 tog.

35th row.—K.2 tog., K.19 [B—K.22], K.2 tog.t.b.l., K.34 [B—K.36], K.2 tog., K.19 [B—K.22], K.2 tog.

39th row.—K.2 tog., K.17 [B—K.20], K.2 tog.t.b.l., K.34 [B—K.36], K.2 tog., K.17 [B—K.20], K.2 tog.

Work 3 rows without shaping.

[Size B only—43rd row.—K.2 tog., K.18, K.2 tog.t.b.l., K.36, K.2 tog., K.18, K.2 tog.

Work 3 rows without shaping.] (72 [B—76] sts.).

Both sizes.—Cast off.

THE LEFT BACK—Cast on 75 [B—79] stitches.

1st row.—Knit. 2nd row.—Purl.

Continue in plain smooth fabric until work measures 8 ins. from commencement, finishing at end of a purl row.

Cast off 16 sts. at beg. of next row. (59 [B—63] sts.).

Continue until work measures 12 [B—13] ins. from commencement, finishing at end of a purl row.

Dec. once at end of needle in next row and every following 18th row three times. (55 [B—59] sts.).

Work 5 rows without shaping.

Proceed as follows:—

1st row.—K.18 [B—K.19], K.2 tog., K.33 [B—K.36], K.2 tog.

Work 5 rows without shaping, also after rows 7 and 13.

7th row.—K.18 [B—K.19], K.2 tog., K.31 [B—K.34], K.2 tog.

13th row.—K.18 [B—K.19], K.2 tog., K.29 [B—K.32], K.2 tog.

19th row.—K.18 [B—K.19], K.2 tog., K.27 [B—K.30], K.2 tog.

Work 3 rows without shaping, also after rows 23, 27, 31 and 35.

23rd row.—K.18 [B—K.19], K.2 tog., K.25 [B—K.28], K.2 tog.

27th row.—K.18 [B—K.19], K.2 tog., K.23 [B—K.26], K.2 tog.

31st row.—K.18 [B—K.19], K.2 tog., K.21 [B—K.24], K.2 tog.

35th row.—K.18 [B—K.19], K.2 tog., K.19 [B—K.22], K.2 tog.

39th row.—K.18 [B—K.19], K.2 tog., K.17 [B—K.20], K.2 tog.

Work 3 rows without shaping.

[Size B only—43rd row.—K.19, K.2 tog., K.18, K.2 tog. Work 3 rows without shaping.] (37 [B—39] sts.).

Both Sizes.—Cast off.

[Continued on page 18]

Houndstooth Jacket

'CHECKERS'

IN TWO SIZES

PATONS MOHAIR BRUSHED KNITTING YARN

71% MOHAIR 23% WOOL 6% NYLON
MOTHPROOFED

Size A. To fit 33-34 inch bust—

Main Colour 13 balls

Contrasting Colour 8 balls

Size B. To fit 39-40 inch bust—

Main Colour 15 balls

Contrasting Colour 10 balls

*Actual measurement of garment is 2 inches
larger than the above measurements.*

Length from top of shoulder—

Size A 24½ ins. Size B 25½ ins.

Length of sleeve seam—

Both Sizes 17 ins. (or length desired).

Patons Beehive Knitting Needles or Queen Bee Knitting Needles, 1 pair each Nos. 6 and 10, measured on a Beehive Needle Gauge, or whichever needle size you require to produce the tension given.

Seven Large Buttons. One Press Stud.

ABBREVIATIONS: See page 18.

M.—Main Colour. C.—Contrasting Colour.

TENSION: 10 stitches to 2 inches in width, measured over plain smooth fabric. Check tension: See page 9.

Instructions are for smaller size A. Larger size B is shown thus [B—. . .]. Where one set of figures is given, this applies to both sizes.

THE LEFT FRONT—Using No. 10 Needles and M., cast on 48 [B—56] stitches.

1st row.—* K.1, P.1, rep. from * to end of row.

Rep. 1st row thirteen times.

Using No. 6 Needles, proceed as follows:—

Note:—In working this design, we recommend stranding colours by carrying the colour not in use loosely across back of work.

** 1st row.—* K.4 C., K.2 M., K.2 C., rep. from * to end of row.

2nd row.—* P.2 C., P.2 M., P.4 C., rep. from * to end of row.

3rd row.—* K.6 M., K.2 C., rep. from * to end of row.

4th row.—* P.2 C., P.6 M., rep. from * to end of row.

5th row.—As 3rd row.

6th row.—* P.6 M., P.2 C., rep. from * to end of row.

7th row.—* K.2 C., K.6 M., rep. from * to end of row.

[Continued on page 18]

His & Hers in the so popular Saddle Shoulder

'CASUAL KEYNOTE'

IN TWO SIZES WITH "V" OR ROUND NECK
FOR BOTH LADY AND MAN

PATONS MOHAIR BRUSHED KNITTING YARN

71% MOHAIR 23% WOOL 6% NYLON
MOTHPROOFED

For Lady—

Size A to fit 32 inch bust 17 balls

Size B to fit 36 inch bust 17 balls

For Man—

Size C to fit 40 inch chest 21 balls

Size D to fit 44 inch chest 23 balls

*Actual measurement of garment is 3 inches
larger than the above measurements.*

Length from top of shoulder—

Size A . . 24 ins. Size B . . 24½ ins. Size C . . 27 ins.

Size D 27½ ins.

Length of sleeve seam—

Sizes A and B . . 18 ins. Sizes C and D . . 20 ins.
(or length desired)

Patons Beehive Knitting Needles, 1 pair each Nos. 8 and 10, 1 set of four No. 10 (12 inch) measured on a Beehive Needle Gauge, or whichever needle size you require to produce the tension given below.

Two Stitch Holders for Pullover with Round Neck.

ABBREVIATIONS: See page 18.

TENSION: 11 stitches to 2 inches in width, measured over plain smooth fabric. Check tension: See page 8.

Instructions are for smallest size A. Larger sizes B, C and D are shown thus [B—...] [C—...] [D—...]. Where one set of figures is given, this applies to all sizes.

Note:—To obtain the best results, we recommend using two balls at the same time, viz:—Work two rows with the first ball, two rows with the second ball, then two rows with the first ball etc.

THE PULLOVER WITH "V" NECK

THE FRONT—Using No. 10 Needles, cast on 99 [B—107] [C—115] [D—123] stitches.

1st row.—* K.1, P.1, rep. from * to last st., K.1.

2nd row.—* P.1, K.1, rep. from * to last st., P.1.

Rep. 1st and 2nd rows ten times.

Using No. 8 Needles, proceed as follows:—

1st row.—Knit. 2nd row.—Purl.

Continue in plain smooth fabric until work measures 15½ [B—15½] [C—17] [D—17] ins. from commencement, finishing at end of a purl row.

Shape armholes by casting off 5 [B—6] [C—7] [D—7] sts. at beg. of next 2 rows. **

Divide for neck as follows:—

Next row.—K.2 tog., K.42 [B—K.45] [C—K.48] [D—K.52], turn.

Continue in these 43 [B—46] [C—49] [D—53] sts., dec. once at each end of needle in every following 4th row until 25 [B—28] [C—25] [D—25] sts. remain.

Dec. once at armhole edge in every alt. row six times [B—eight times] [C—four times] [D—twice], whilst at same time dec. once at neck edge in every following 4th row three times [B—four times] [C—twice] [D—once] (16 [B—16] [C—19] [D—22] sts.).

Cast off 5 [B—5] [C—6] [D—7] sts. at beg. of every alt. row, whilst at same time dec. once at neck edge in following 4th row. Fasten off.

Slip centre st. on to a length of yarn and leave.

Join in yarn to remaining sts. and work to correspond with other side.

THE BACK—Work as given for Front to **.

Dec. once at each end of needle in next and every following 4th row until 69 [B—75] [C—75] [D—79] sts. remain, then in every alt. row until 57 [B—59] [C—67] [D—75] sts. remain.

Work 1 row without shaping.

Cast off 5 [B—5] [C—6] [D—7] sts. at beg. of next 6 rows. Cast off remaining sts.

THE SLEEVES—Using No. 10 Needles, cast on 41 [B—45] [C—49] [D—53] stitches.

1st row.—* K.1, P.1, rep. from * to last st., K.1.

2nd row.—* P.1, K.1, rep. from * to last st., P.1.

Rep. 1st and 2nd rows eight times, then 1st row once. 20th row.—Rib 3 [B—rib 5] [C—rib 7] [D—rib 9], * inc. once in next st., rib 6, rep. from * to last 3 [B—5] [C—7] [D—9] sts., inc. once in next st., rib to end of row. (47 [B—51] [C—55] [D—59] sts.).

Using No. 8 Needles, proceed as follows:—

1st row.—Knit. 2nd row.—Purl.

Rep. 1st and 2nd rows twice.

Continue in plain smooth fabric, inc. once at each end of needle in next and every following 6th row until there are 75 [B—81] [C—87] [D—93] sts. on needle. Continue without shaping until side edge measures 18 [B—18] [C—20] [D—20] ins. (or length desired) from commencement, finishing at end of a purl row.

Cast off 5 [B—6] [C—7] [D—7] sts. at beg. of next 2 rows.

Dec. once at each end of needle in next row and every following 4th row once [B—once] [C—twice] [D—once] (61 [B—65] [C—67] [D—75] sts.), then in every alt. row until 15 [B—15] [C—17] [D—17] sts. remain.

Work 19 [B—19] [C—21] [D—23] rows without shaping. Cast off.

Work another Sleeve in same manner.



THE NECKBAND—Using a fine back stitch seam, sew sleeve tops and extensions to front and back, leaving tops of sleeves to form part of neckline.

With right side of work facing, using set of four No. 10 Needles and commencing at top of left sleeve, knit up 54 [B—58] [C—62] [D—66] sts. across top of left sleeve and along left side of neck, knit st. from length of yarn, then 54 [B—58] [C—62] [D—66] sts. along right side of neck and across top of right sleeve, and 25 [B—27] [C—29] [D—31] sts. across back of neck. (134 [B—144] [C—154] [D—164] sts.).

1st round.—* K.1, P.1, rep. from * to end of round. Work 10 rounds in rib, dec. once at each side of centre point of "V" in every round and keeping centre st. plain.

Work 10 rounds in rib, inc. once at each side of centre point of "V" in every round and keeping centre st. plain. Cast off loosely in rib.

TO MAKE UP—Using a flat seam for ribbing and a fine back stitch seam for other seams, sew up side and sleeve seams. Fold neckband in half on to wrong side of work and slip stitch in position.

The appearance of your knitted garment can be enhanced by a light brushing.

THE PULLOVER WITH ROUND NECK

THE FRONT—Work as given for Front of Pullover with V Neck to **.

Dec. once at each end of needle in next and every following 4th row until 69 [B—75] [C—77] [D—83] sts. remain [Size B only—then in every alt. row until 71 sts. remain.]

Work 1 row without shaping.

Shape for neck as follows:—

Next row.—A—K.2 tog., K.24 [B—K.2 tog., K.24] [C—K.28] [D—K.30], turn.

Continue on these 25 [B—25] [C—28] [D—30] sts., dec. once at armhole edge in 2nd [B—2nd] [C—2nd] [D—4th] row, then in every alt. row, whilst at same time dec. once at neck edge in every alt. row until 15 [B—15] [C—18] [D—21] sts. remain.

Cast off 5 [B—5] [C—6] [D—7] sts. at beg. of every alt. row. Fasten off.

Slip next 17 [B—19] [C—21] [D—23] sts. on to a stitch holder and leave.

Join in yarn at neck edge and work on remaining sts. to correspond with other side.

THE BACK—Work as given for Back of Pullover with "V" Neck, leaving 27 [B—29] [C—31] [D—33] sts. on a stitch holder instead of casting off.

THE SLEEVES—Work as given for Sleeves of Pullover with "V" Neck.

[Continued on page 18]

Tops in Mohair—and so inexpensive

'FLAIR'

PATONS MOHAIR BRUSHED KNITTING YARN

71% MOHAIR 23% WOOL 6% NYLON
MOTHPROOFED

To fit an average head 4 balls

Patons Beehive Knitting Needles or Queen Bee Knitting Needles, 1 pair each Nos. 8 (14 inch), and 10, measured on a Beehive Needle Gauge, or whichever needle size you require to produce the tension given.

Narrow Belt with Buckle.

ABBREVIATIONS: See page 18.

M.1P.—Make 1 purlways by picking up loop that lies between st. just worked and following st. and purling into back of it.



TENSION: 11 stitches to 2 inches in width, measured over plain smooth fabric using No. 8 Needles.
Check tension: See page 8.

Using No. 8 Needles, cast on 14 stitches.

1st row.—Knit.

Rep. 1st row for 21 ins. Cast off.

Using No. 10 Needles, knit up 155 sts. along one edge of Garter Stitch band.

Proceed as follows:—

1st row.—* K.2, P.1 t.b.l., rep. from * to last 2 sts., K.2.

2nd row.—* P.2, K.1 t.b.l., rep. from * to last 2 sts., P.2.

Rep. 1st and 2nd rows once, then 1st row once.

Using No. 8 Needles, work inc. row as follows:—

Next row.—* P.2, M.1 P., K.1 t.b.l., rep. from * to last 2 sts., P.1, inc. once in last st. (207 sts.).

Proceed as follows:—

1st row.—* K.3, P.1 t.b.l., rep. from * to last 3 sts., K.3.

2nd row.—* P.3, K.1 t.b.l., rep. from * to last 3 sts., P.3.

Rep. these 2 rows nine times.

Next row.—* K.1, K.2 tog., P.1 t.b.l., rep. from * to last 3 sts., K.1, K.2 tog. (155 sts.).

Proceed as follows:—

1st row.—* P.2, K.1 t.b.l., rep. from * to last 2 sts., P.2.

2nd row.—* K.2, P.1 t.b.l., rep. from * to last 2 sts., K.2.

Rep. these 2 rows four times.

Next row.—* P.2 tog., K.1 t.b.l., rep. from * to last 2 sts., P.2 tog. (103 sts.).

Proceed as follows:—

1st row.—* K.1, P.1 t.b.l., rep. from * to last st., K.1.

2nd row.—* P.1, K.1 t.b.l., rep. from * to last st., P.1.

Rep. these 2 rows once.

Next row.—K.2 tog. all across row to last st., K.1.

Work 1 row.

Next row.—K.2 tog. all across row to last st., K.1.

Break off yarn, run end through remaining sts., draw up and fasten off securely.

TO MAKE UP—Using a flat seam for Garter Stitch and a fine back stitch seam for remainder of seam, sew up seam. Make loops for belt and thread belt through with fastening at front.

The appearance of your knitted garment can be enhanced by a light brushing.

Mohair Warmth from top to fingertips

'JUST FOR FUN'

PATONS MOHAIR BRUSHED KNITTING YARN

71% MOHAIR 23% WOOL 6% NYLON
MOTHPROOFED

The Hat

To fit an average head 3 balls

Patons Beehive Knitting Needles or Queen Bee Knitting Needles, 1 pair each Nos. 8 and 10, measured on a Beehive Needle Gauge, or whichever needle size you require to produce the tension given below.

ABBREVIATIONS: See page 18. M.1—make 1 by picking up loop which lies before next st. and knitting it t.b.l.

TENSION: 11 stitches to 2 inches in width, measured over plain smooth fabric. Check tension: See page 8.

Using No. 10 Needles, cast on 118 stitches.

1st row.—* K.1, P.1, rep. from * to end of row.

Rep. 1st row forty times.

Using No. 8 Needles, proceed as follows:—

1st row.—Knit. 2nd and alt. rows.—Purl.

3rd row.—(K.9, M.1) thirteen times, K.1.

5th row.—(K.10, M.1) thirteen times, K.1.

7th row.—(K.11, M.1) thirteen times, K.1.

9th row.—(K.12, M.1) thirteen times, K.1.

Work 11 rows in plain smooth fabric without shaping.

Proceed as follows:—

1st row.—(K.11, K.2 tog.) thirteen times, K.1.

2nd and alt. rows.—Purl.

3rd row.—(K.10, K.2 tog.) thirteen times, K.1.

5th row.—(K.9, K.2 tog.) thirteen times, K.1.

Continue in plain smooth fabric, dec. in this manner in every alt. row until 27 sts. remain.

Next row.—Purl.

Next row.—(K.2 tog.) thirteen times, K.1.

Next row.—Purl.

Break off yarn, run end through remaining sts., draw up and fasten off securely.

TO MAKE UP—Using a flat seam for ribbing and a fine back stitch seam for remainder, sew up back seam. Slip a circle of cardboard inside cap and steam very lightly. Turn up brim.

The appearance of your knitted garment can be enhanced by a light brushing.



'JUST FOR FUN'

PATONS MOHAIR BRUSHED KNITTING YARN

71% MOHAIR 23% WOOL 6% NYLON
MOTHPROOFED

The Mitts

To fit 6½ to 7 inch hand . . 3 balls

Patons Beehive Knitting Needles or Queen Bee Knitting Needles, 1 pair each Nos. 10 and 11, measured on a Beehive Needle Gauge, or whichever needle size you require to produce the tension given below.

ABBREVIATIONS: See page 18.

TENSION: 12 stitches to 2 inches in width, measured over plain smooth fabric. Check tension: See page 8.

THE RIGHT HAND MITTEN—Using No. 11 Needles, cast on 44 stitches.

[Continued on page 16]



Luxury Rugs in Two Sizes

'DAY IN DAY OUT'

**ATTRACTIVELY KNITTED IN LARGE OR
SMALL SQUARES OF CONTRASTING
COLOURS**

PATONS MOHAIR BRUSHED KNITTING YARN

71% MOHAIR 23% WOOL 6% NYLON
MOTHPROOFED

Approximately—Large squares 36 ins. x 40 ins.
Small squares 40 ins. x 40 ins.

QUANTITIES—

Large Squares Main Colour	9 balls
Contrasting Colour	7 balls
Small Squares Main Colour	10 balls
Contrasting Colour	9 balls

Patons Beehive Knitting Needles, 1 pair No. 3, measured on a Beehive Needle Gauge.

Patons Crochet Hook, No. 9.

ABBREVIATIONS: See page 18. M.—Main Colour.
C.—Contrasting Colour.

Instructions are given for large squares, small squares are shown thus [].

Using M., cast on 51 [31] stitches.

1st row.—Knit.

Rep. 1st row sixty-seven [forty-five] times. Cast off.
Work four [twelve] more squares in M., then four [twelve] in C.

TO MAKE UP—Using a flat seam, sew squares together alternately as illustrated. Using matching colours, work a fringe around outside edge.

TO MAKE A FRINGE—Wind yarn round a piece of cardboard 3 ins. in width and cut along one side. With right side of work facing, using Crochet Hook and 2 strands of yarn, fold yarn in half and draw loop forward at centre through stitch, pull ends of yarn through loop and draw tightly.

The appearance of your knitted garment can be enhanced by a light brushing.

Special Note—

*Avoid
disappointment—
buy the wool
recommended.
Buy wisely—
buy enough of the
one dye-lot
the same dye-lot
cannot be
repeated.*

Tension is most important!

HOW TO CHECK YOUR TENSION—Before you commence knitting, check your tension carefully—on this depends the success of the finished article. Take the wool and needles specified in the instructions, cast on 20 stitches, work 20 rows in plain smooth fabric. Lightly press work. Check the tension by placing an inch tape across the stitches, count the exact number of stitches to one inch and compare with the tension given in the instructions. All tensions are measured over plain smooth fabric, lightly pressed. If your tension is too loose, try a size finer needle. If your tension is too tight, try a size coarser needle. If there is more than one size of needle recommended in the recipe and you alter the needles to obtain the correct tension in plain smooth fabric, corresponding alterations must be made to the needles throughout the instructions.

A Raglan with a soft hugging neckline in 4-ply

'EASY LIVING'
IN TWO SIZES



PATONS MOHAIR BRUSHED KNITTING YARN

71% MOHAIR 23% WOOL 6% NYLON MOTHPROOFED

and

PATONS PATONYLE KNITTING YARN, 4 Ply

80% WOOL 20% NYLON MOTHPROOFED PATONISED (SHRINK RESISTANT)

Size A. To fit 34 inch bust—Mohair 17 balls. 4 Ply 1 ball.
Size B. To fit 37 inch bust—Mohair 19 balls. 4 Ply 1 ball.
Actual measurement of garment is 2 inches larger than the above measurements.

Length from top of shoulder—Size A . . . 22½ ins. Size B . . . 23½ ins.
Length of sleeve seam—Both sizes 18 ins. (or length desired).



Patons Beehive Knitting Needles or Queen Bee Knitting Needles, 1 pair each Nos. 7 and 10, 1 set each of four Nos. 8, 10 and 13, measured on a Beehive Needle Gauge, or whichever needle size you require to produce the tension given below.

ABBREVIATIONS: See page 18.

TENSION: 10½ stitches to 2 inches in width, measured over plain smooth fabric, using Mohair.

Check tension: See page 8.

Instructions are for smaller size A. Larger size B is shown thus [B—...]. Where one set of figures is given, this applies to both sizes.

Note:—To obtain the best results we recommend using two balls at the same time, viz:—Work two rows with the first ball, two rows with the second ball, then two rows with the first ball etc.

THE FRONT—Using No. 10 Needles and Mohair, cast on 113 [B—123] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—K.1, * P.1, K.1, rep. from * to end of row.

Rep. 1st and 2nd rows four times. Using No. 7 Needles, rep. 1st and 2nd rows until work measures 15½ ins. from commencement, finishing at end of a 2nd row.

Shape armholes by casting off 5 [B—7] sts. at beg. of next 2 rows. ** Dec. once at each end of needle in next and every alt. row until 71 sts. remain.

Shape for neck as follows: ~~22~~ 22. **Next row.**—K.2 tog., rib 22, cast off 13 sts., rib 25, K.2 tog.

13 ~~22~~ [Continued on page 15]

**'BEST BEHAVIOUR'**

IN THREE SIZES WITH "V" OR ROUND NECK

**PATONS MOHAIR BRUSHED
KNITTING YARN**71% MOHAIR 23% WOOL 6% NYLON
MOTHPROOFED

- Size A. To fit 28 inch underarm .. 12 balls
 Size B. To fit 31 inch underarm .. 15 balls
 Size C. To fit 34 inch underarm .. 17 balls

*Actual measurement of garment is 2 inches
 larger than the above measurements.*

Length from top of shoulder—

Size A, 19½ ins. Size B, 22 ins. Size C, 23½ ins.

Length of sleeve seam—

Size A, 17 ins. Size B, 19½ ins. Size C, 20 ins.
(or length desired)

For Boys

in three sizes with

Patons Beehive Knitting Needles, 1 pair each
 Nos 8 and 10, 1 set of four No. 10 (12 inch),
 measured on a Beehive Needle Gauge, or
 whichever needle size you require to pro-
 duce the tension given below.

Two Stitch Holders for Pullover with Round
 Neck.

ABBREVIATIONS: See page 18.

TENSION: 11 stitches to 2 inches in width,
 measured over plain smooth fabric. Check
 tension: See page 8.

*Instructions are for smallest size A. Larger sizes
 B and C are shown thus [B—...] [C—...].
 Where one set of figures is given, this applies
 to all sizes.*

Note:—To obtain the best results we recom-
 mend using two balls at the same time,
 viz:—Work two rows with the first ball, two
 rows with the second ball, then two rows
 with the first ball etc.

THE PULLOVER WITH "V" NECK

THE FRONT—Using No. 10 Needles, cast on
 84 [B—92] [C—100] stitches.

1st row.—* K.1, P.1 rep. from * to end of
 row.

Rep. 1st row fifteen times, inc. once at end of
 needle in last row. (85 [B—93] [C—101] sts.).

Using No. 8 Needles, proceed as follows:—

1st row.—Knit. **2nd row.**—Purl.

Continue in plain smooth fabric until work
 measures 12½ [B—14] [C—15] ins. from com-
 mencement, finishing at end of a purl row.

Commence raglan shaping by casting off 4 [B—4]
 [C—5] sts. at beg. of next 2 rows. **

Dec. once at each end of needle in next row, [Sizes
 B and C—then in following alt. row].
 (75 [B—81] [C—87] sts.).

Work 1 row without shaping.

Divide for neck as follows:—

Next row.—K.2 tog., K.35 [B—K.38] [C—K.41], turn.

Continue on these 36 [B—39] [C—42] sts., dec. once
 at armhole edge in every alt. row, whilst at same time
 dec. once at neck edge in every following 4th row
 until 2 sts. remain.

Work 1 row. K.2 tog. Fasten off.

Slip centre st. on to a length of yarn and leave. Join
 in yarn at neck edge and work on remaining sts. to
 correspond with other side.

THE BACK—Work as given for Front to **.

Dec. once at each end of needle in next and every alt.
 row until 25 [B—27] [C—29] sts. remain. Cast off.

[Continued on page 17]

and Girls

h V or round neck

'MISS PRISM'
IN THREE SIZES
WITH "V" OR ROUND NECK
**PATONS MOHAIR BRUSHED
KNITTING YARN**
71% MOHAIR 23% WOOL 6% NYLON
MOTHPROOFED

Size A. To fit 27 inch underarm . . . 10 balls
Size B. To fit 30 inch underarm . . . 12 balls
Size C. To fit 33 inch underarm . . . 14 balls
*Actual measurement of garment is 1½
inches larger than the above measurements.*

Length from top of shoulder—

Size A, 16 ins. Size B, 18½ ins. Size C, 21 ins.

Length of sleeve seam—

Size A, 14 ins. Size B, 15½ ins. Size C, 17 ins.
(or length desired)

Patons Beehive Knitting Needles or Queen Bee Knitting Needles, 1 pair each Nos. 8 and 10, 1 set of four No. 10, measured on a Beehive Needle gauge, or whichever needle size you require to produce the tension given below.

Two Stitch Holders.

ABBREVIATIONS: See page 18.

TENSION: 11 stitches to 2 inches in width, measured over plain smooth fabric. Check tension: See page 8.

Instructions are for smallest size A. Larger sizes B and C are shown thus [B—...] [C—...]. Where one set of figures is given, this applies to all sizes.

Note:—To obtain the best results, we recommend using two balls at the same time, viz:—

Work two rows with the first ball, two rows with the second ball, then two rows with the first ball etc.

THE PULLOVER WITH "V" NECK

THE FRONT—Using No. 10 Needles, cast on 80 [B—88] [C—96] stitches.

1st row.—* K.1, P.1, rep. from * to end of row.
Rep. 1st row fifteen times, inc. once at end of needle in last row.

Using No. 8 Needles, proceed as follows:—

1st row.—Knit. **2nd row.**—Purl.

Continue in plain smooth fabric until work measures 10 [B—12] [C—13½] ins. from commencement, finishing at end of a purl row.

Shape for raglan as follows:—

Cast off 2 [B—3] [C—3] sts. at beg. of next 2 rows. **

Shape for neck as follows:—

Next row.—K.2 tog., K.36 [B—K.39] [C—K.43], turn.

[Continued on page 16]



Front Cover Glamour in Mohair

'HOLIDAY TIME'
IN THREE SIZES

PATONS MOHAIR BRUSHED KNITTING YARN

71% MOHAIR 23% WOOL 6% NYLON
MOTHPROOFED

Size A. To fit 32 inch bust—
Main Colour 18 balls
Contrasting Colour 3 balls

Size B. To fit 35 inch bust—
Main Colour 19 balls
Contrasting Colour 3 balls

Size C. To fit 38 inch bust—
Main Colour 22 balls
Contrasting Colour 4 balls

*Actual measurement of garment is 4 inches
larger than the above measurements.*

Length from top of shoulder—

Size A, 27 ins. Size B, 27½ ins. Size C, 28 ins.

Length of sleeve seam—

All Sizes 18 ins. (or length desired).

Patons Beehive Knitting Needles or Queen Bee Knitting Needles, 1 pair each Nos. 8 and 10, 1 set of four No. 8, measured on a Beehive Needle gauge, or whichever needle size you require to produce the tension given below.

A Stitch Holder.

ABBREVIATIONS: See page 18.

M.—Main Colour. C.—Contrasting Colour.

TENSION: 11 stitches to 2 inches in width, measured over plain smooth fabric. Check tension: See page 8.

Instructions are for smallest size A. Larger sizes B and C are shown thus [B—...] [C—...]. Where one set of figures is given, this applies to all sizes.

Note.—To obtain the best results, we recommend using two balls at the same time, viz.—Work two rows with the first ball, two rows with the second ball, then two rows with the first ball etc.

THE FRONT—Using No. 10 Needles and M., cast on 100 [B—108] [C—116] stitches.

1st row.—* K.1, P.1, rep. from * to end of row.

Rep. 1st row eleven times.

Using No. 8 Needles, proceed as follows:—

1st row.—Knit. 2nd row.—Purl.

Continue in plain smooth fabric until work measures 15½ ins. from commencement, finishing at end of a purl row. **

Divide for neck as follows:—

Next row.—K.50 [B—K.54] [C—K.58], turn.

Continue on these 50 [B—54] [C—58] sts., dec. once at neck edge in every following 6th row four times. (46 [B—50] [C—54] sts.).

Work 1 row without shaping.

Shape raglan armhole as follows:—

Next row.—Cast off 3 sts., knit to end of row.

Dec. once at armhole edge in every alt. row, whilst at same time dec. once at neck edge in 4th row, then in every following 6th row until 2 sts. remain.

Work 1 row. K.2 tog. Fasten off.

Join in yarn at neck edge and work on remaining sts. to correspond with other side.

THE BACK—Work as given for Front to **.

Continue in plain smooth fabric until work measures same as Front to armhole shaping, finishing at end of a purl row.

Shape raglan by casting off 3 sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row until 30 [B—32] [C—34] sts. remain. Cast off.

THE SLEEVES—Using No. 10 Needles and M., cast on 44 [B—48] [C—52] stitches.

1st row.—* K.1, P.1, rep. from * to end of row.

Rep. 1st row eighteen times.

20th row.—Rib 4 [B—rib 3] [C—rib 3], * inc. once in next st., rib 6 [B—rib 5] [C—rib 4], rep. from * to last 5 [B—3] [C—4] sts., inc. once in next st., rib 4 [B—rib 2] [C—rib 3]. (50 [B—56] [C—62] sts.).

Using No. 8 Needles, proceed as follows:—

1st row.—Knit. 2nd row.—Purl.

Rep. 1st and 2nd rows three times.

Continue in plain smooth fabric, inc. once at each end of needle in next and every following 8th row until there are 70 [B—76] [C—82] sts. on needle, then in every following 6th row until there are 80 [B—86] [C—92] sts. on needle.

Continue without shaping until side edge measures 18 ins. (or length desired) from commencement, finishing at end of a purl row.

Shape raglan by casting off 3 sts. at beg. of next 2 rows.

Dec. once at each end of needle in next and every alt. row until 10 sts. remain. Cast off.

Work another Sleeve in same manner.

THE INSERT AND COLLAR—Using a fine back stitch seam, sew sleeves to front and back noting that tops of sleeves form part of neckline.

Using No. 8 Needles and C., cast on 3 stitches.

1st row.—K.1, P.1, K.1.

2nd row.—P.1, K.1, P.1.

3rd row.—Inc. once in each of first 2 sts., K.1.

4th row.—(K.1, P.1) twice, K.1.

5th row.—(P.1, K.1) twice, P.1.

Rep. 4th row once.



7th row.—Inc. once in first st., K.1, P.1, inc. once in next st., P.1.

8th row.—* P.1, K.1, rep. from * to last st., P.1.

9th row.—* K.1, P.1, rep. from * to last st., K.1.

Rep. 8th row once.

Keeping continuity of rib, inc. once at each end of needle in next and every following 4th row until there are 35 sts. on needle.

Work 1 row without shaping.

Divide for neck as follows:—

1st row.—Rib 17, cast off one st., rib 17.

2nd row.—Rib 15, K.2.

3rd row.—* K.1, P.1, rep. from * to last 3 sts., K.1, inc. once in next st., P.1.

Keeping continuity of rib, inc. once at end of needle in every following 4th row until there are 21 sts. on needle.

Work 2 rows without shaping. Leave these sts. on stitch holder. Do not break off yarn.

Join in C. at centre front where sts. were left and work to correspond with other side, finishing at outside edge. Leave these sts. on needle.

Using set of four No. 8 Needles, slip first 21 sts. from stitch holder on to a No. 8 Needle. Using this needle with right side of work facing and C., commence 3 [B—3½] [C—4] ins. down from right front raglan seam, knit up 20 [B—24] [C—28] sts. along right front to raglan seam, 8 sts. across top of right sleeve, 29 [B—31] [C—33] sts. across back of neck, 8 sts. across top of left sleeve and 20 [B—24] [C—28] sts. along left side of neck for 3 [B—3½] [C—4] ins. Work across 21 sts. left on needle from left side of insert. (127 [B—137] [C—147] sts.).

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—* K.1, P.1, rep. from * to last st., K.1.

Rep. 1st and 2nd rows twenty-four times. Cast off loosely in rib.

TO MAKE UP—Using a flat seam for ribbing and a fine back stitch seam for other seams, sew up side and sleeve seams. Using a fine back stitch seam, sew insert in position.

The appearance of your knitted garment can be enhanced by a light brushing.



'INTERLUDE'

'LITTLE EVENING'

'INTERLUDE'

**PATONS MOHAIR BRUSHED
KNITTING YARN**

71% MOHAIR 23% WOOL 6% NYLON
MOTHPROOFED

72 ins. x 18 ins.—

Quantity 11 balls

Patons Beehive Knitting Needles, 1 pair No. 1, measured on a Beehive Needle Gauge.

ABBREVIATIONS: See page 18.

Note:—To obtain the best results, we recommend using two balls at the same time, viz:—Work two

rows with the first ball, two rows with the second ball, then two rows with the first ball etc.

Cast on 89 stitches.

1st row.—K.2, purl to last 2 sts., K.2.

2nd row.—K.2, (K.2 tog.) three times, * (wl. fwd., K.1) five times, wl. fwd., (there are 6 wl. fwd.'s altogether), (K.2 tog.) six times, rep. from * to last 13 sts., (wl. fwd., K.1) five times, wl. fwd., (K.2 tog.) three times, K.2.

Rep. these 2 rows until work measures 70 ins. from commencement, finishing with a purl row. Cast off.

Pin out to the above measurements and steam lightly on wrong side of work.

The appearance of your knitted garment can be enhanced by a light brushing.

Mohair Stoles

— so light — so warm

'LITTLE EVENING'

PATONS MOHAIR BRUSHED KNITTING YARN

71% MOHAIR 23% WOOL 6% NYLON
MOTHPROOFED

Quantity 11 balls
Length 68 ins. Width at narrowest part 14 ins.
Width of collar 6 ins.

Patons Beehive Knitting Needles or Queen Bee Knitting Needles, 1 pair No. 4, measured on a Beehive Needle Gauge.

ABBREVIATIONS: See page 18.

Note:—To obtain the best results, we recommend using two balls at the same time, viz:—Work two rows with the first ball, two rows with the second ball, then two rows with the first ball etc.

Note:—Slip first st. knitways at beg. of every row.

Cast on 60 stitches loosely.

1st row.—Knit.

Rep. 1st row until work measures 16 ins. from commencement.

Next row.—Cast on 25 sts. loosely for collar, knit to end of row. (85 sts.).

Continue in Garter Stitch until work measures 52 ins. from commencement, finishing at collar edge.

Next row.—Cast off 25 sts. loosely, knit to end of row. (60 sts.).

Work 16 ins. in Garter Stitch. Cast off loosely.

The appearance of your knitted garment can be enhanced by a light brushing.

'EASY LIVING' (Continued from page 9)

Continue on these 26 sts., dec. once at armhole edge in every row eight times, whilst at same time casting off 4 sts. at neck edge in every alt. row four times. (2 sts.). Cast off.

Join in yarn at neck edge and work on remaining sts. to correspond with other side.

THE BACK—Work as given for Front to **. Dec. once at each end of needle in next and every alt. row until 69 sts. remain, then in every row until 57 sts. remain.

Shape neck as follows:—

Next row.—K.2 tog., rib 18, cast off 17 sts., rib 18, K.2 tog.

Continue on these 19 sts., dec. once at armhole edge in every row seven times, whilst at same time casting off 4 sts. at beg. of 2nd row once, then 3 sts. at beg. of every alt. row twice. (2 sts.). Cast off.
Join in yarn at neck edge and work on remaining sts. to correspond with other side.

THE LEFT SLEEVE—Using No. 10 Needles and Mohair, cast on 47 [B—53] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—K.1, * P.1, K.1, rep. from * to end of row.

Rep. 1st and 2nd rows nine times.

Using No. 7 Needles, rep. 1st and 2nd rows once.

Continue in rib, inc. once at each end of needle in next and every following 6th row until there are 59 sts. on needle, then in every following 4th row until there are 81 [B—91] sts. on needle.

Continue without shaping until side edge measures 18 ins. (or length desired) from commencement, finishing at end of a 2nd row.

Cast off 5 [B—7] sts. at beg. of next 2 rows.

Dec. once at each end of needle in next and every alt. row until 37 sts. remain, then in every row until 21 sts. remain. ***

Proceed as follows:—

1st row.—Cast off 4 sts., rib to last 2 sts., K.2 tog.

2nd row.—K.2 tog., rib to end of row.

Rep. 1st and 2nd rows twice. (3 sts.). Cast off.

THE RIGHT SLEEVE—Work as given for Left Sleeve to ***.

Proceed as follows:—

1st row.—K.2 tog., rib to end of row.

2nd row.—Cast off 4 sts., rib to last 2 sts., K.2 tog.

Rep. 1st and 2nd rows twice.

(3 sts.). Cast off.

THE COLLAR—Using a fine back stitch seam, sew sleeves to front and back, noting that tops of sleeves form part of neckline. With right side of work facing, using set of four No. 10 Needles and Mohair, knit up 138 sts. evenly round neck.

1st round.—* K.1, P.1, rep. from * to end of round. Rep. 1st round seven times.

Using set of four No. 8 Needles, rep. 1st round until collar measures 4 ins. from commencement.

Cast off loosely in rib.

THE INSET—Using set of four No. 10 Needles and 4 Ply, cast on 160 stitches.

1st round.—* K.1, P.1, rep. from * to end of round.

Rep. 1st round until work measures 2 ins. from commencement.

Using set of four No. 13 Needles, rep. 1st round until work measures 2½ ins. from commencement.

Next round.—* Rib 13, P.3 tog., rep. from * to end of round.

Work 9 rounds in rib. Cast off loosely in rib.

TO MAKE UP—Using a flat seam for ribbed bands and a fine back stitch seam for other seams, sew up side and sleeve seams.

Slip stitch inset in position at neck edge where collar sts. were picked up.

The appearance of your knitted garment can be enhanced by a light brushing.

'JUST FOR FUN' (Continued from page 7)

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row seventeen times, inc. once at each end of needle in last row. (46 sts.).

Using No. 10 Needles, proceed as follows:—

1st row.—Knit.

2nd row.—K.1, purl to last st., K.1. **

3rd row.—K.23, inc. once in next st., K.2, inc. once in next st., K.19.

Work 3 rows in plain smooth fabric.

7th row.—K.23, inc. once in next st., K.4, inc. once in next st., K.19.

Work 3 rows in plain smooth fabric.

11th row.—K.23, inc. once in next st., K.6, inc. once in next st., K.19.

Continue inc. in this manner in every following 4th row until there are 56 sts. on needle.

Work 3 rows in plain smooth fabric without shaping.

THE THUMB—Next row.—K.36, turn.

Next row.—K.1, P.11, turn, cast on 4 sts.

Work 18 rows in plain smooth fabric on these 16 sts. (Length of Thumb and Hand may be varied to suit individual requirements).

Shape top as follows:—

1st row.—(K.2, K.2 tog.) four times.

2nd row.—K.1, purl to last st., K.1.

3rd row.—(K.1, K.2 tog.) four times.

4th row.—As 2nd row.

Break off yarn, run end through remaining sts., draw up and fasten off securely.

With right side of work facing, rejoin yarn and knit up 4 sts. from cast on sts. at base of Thumb, knit to end of row. (48 sts.).

*** Work 27 rows in plain smooth fabric without shaping.

Shape top as follows:—

1st row.—(K.1, K.2 tog.t.b.l., K.18, K.2 tog., K.1) twice.

2nd row.—K.1, * P.2 tog., P.16, P.2 tog.t.b.l., * P.2, rep. from * to *, K.1.

3rd row.—(K.1, K.2 tog.t.b.l., K.14, K.2 tog., K.1) twice.

4th row.—K.1, * P.2 tog., P.12, P.2 tog.t.b.l., * P.2, rep. from * to *, K.1.

Continue dec. in this manner in every row until 8 sts. remain. Cast off ***.

THE LEFT HAND MITTEN—Work as given for Right Hand Mitten to **.

Proceed as follows:—

1st row.—K.18, inc. once in next st., K.2, inc. once in next st., K.24.

Work 3 rows in plain smooth fabric without shaping.

5th row.—K.18, inc. once in next st., K.4, inc. once in next st., K.24.

Work 3 rows in plain smooth fabric without shaping.

9th row.—K.18, inc. once in next st., K.6, inc. once in next st., K.24.

Continue inc. in this manner in every following 4th row until there are 56 sts. on needle.

Work 3 rows in plain smooth fabric without shaping.

THE THUMB—Next row.—K.32, turn, cast on 4 sts. Next row.—K.1, P.14, K.1.

Work Thumb and finish off as given for Thumb of Right Hand Mitten.

With right side of work facing, rejoin yarn and knit up 4 sts. from cast-on sts. at base of Thumb, knit to end of row. (48 sts.).

Complete as given from *** to *** for Right Hand Mitten.

TO MAKE UP—Using a flat seam, sew up Thumb and Hand seams.

The appearance of your knitted garment can be enhanced by a light brushing.

'MISS PRISM' (Continued from page 11)

Continue on these 37 [B—40] [C—44] sts., dec. once at armhole edge in every alt. row, whilst at same time dec. once at neck edge in every following 4th row until 18 [B—18] [C—13] sts. remain.

Continue dec. once at armhole edge in every row, whilst at same time dec. once at neck edge in 2nd row and every following 4th row until 2 sts. remain.

K.2 tog. Fasten off.

Slip centre st., on to a stitch holder. Join in yarn at neck edge and work on remaining sts. to correspond with other side.

THE BACK—Work as given for Front to **.

Dec. once at each end of needle in next and every alt. row until 49 [B—51] [C—47] sts. remain, then in every row until 21 [B—23] [C—27] sts. remain. Cast off.

THE SLEEVES—Using No. 10 Needles, cast on 32 [B—36] [C—40] stitches.

1st row.—* K.1, P.1, rep. from * to end of row.

Rep. 1st row fourteen times.

16th row.—Rib 3 [B—rib 5] [C—rib 7], * inc. once in next st., rib 4, rep. from * to last 4 [B—6] [C—8] sts., inc. once in next st., rib to end of row.

(38 [B—42] [C—46] sts.).

Using No. 8 Needles, proceed as follows:—

1st row.—Knit. **2nd row.**—Purl.

Rep. 1st and 2nd rows twice.

Continue in plain smooth fabric, inc. once at each end of needle in next and every following 6th row until there are 62 [B—66] [C—72] sts. on needle.

Continue without shaping until side edge measures 14 [B—15½] [C—17] ins. (or length desired) from commencement, finishing at end of a purl row.

Shape raglan by casting off 2 [B—3] [C—3] sts. at beg. of next 2 rows. Dec. once at each end of needle in next and every alt. row until 26 [B—22] [C—18] sts. remain, then in every row until 6 sts. remain.

Cast off.

Work another Sleeve in same manner.

THE NECKBAND—Using a fine back stitch seam, sew sleeves to back and front leaving tops of sleeves to form part of neckline.

With right side of work facing and using set of four No. 10 Needles, commencing at top of left sleeve, knit up 50 [B—52] [C—56] sts. across top of left sleeve and along left side of neck, knit centre st. from stitch holder, then knit up 50 [B—52] [C—56] sts. along right side of neck and across top of right sleeve, and 19 [B—21] [C—25] sts. across back of neck.

(120 [B—126] [C—138] sts.).

1st round.—* K.1, P.1, rep. from * to end of round. Work 7 rounds in rib, dec. once at each side of centre st. in every round, keeping centre st. plain.

Work 7 rounds in rib, inc. once at each side of centre st. in every round, keeping centre st. plain.

Cast off loosely in rib.

TO MAKE UP—Using a flat seam for ribbing and a fine back stitch seam for other seams, sew up side and sleeve seams. Fold neckband in half on to wrong side of work and slip stitch in position.

The appearance of your knitted garment can be enhanced by a light brushing.

THE PULLOVER WITH ROUND NECK

THE FRONT—Work as given for Front of Pullover with "V" Neck to **.

Dec. once at each end of needle in next and every alt. row until 51 [B—53] [C—55] sts. remain.

Work 1 row without shaping.

Shape for neck as follows:—

Next row.—K.2 tog., K.18, turn.

Sizes A and B only.—Continue on these 19 sts., dec. once at armhole edge in every row eight times, whilst at same time dec. once at neck edge in every alt. row four times. (7 sts.).

[**Size C only.**—Continue on these 19 sts., dec. once at each end of needle in every alt. row until 13 sts. remain.

Dec. once at armhole edge in every row four times, whilst at same time dec. once at neck edge in every alt. row twice. (7 sts.).]

All Sizes.—Continue dec. once at armhole edge only in every row until 2 sts. remain. K.2 tog. Fasten off. Slip next 11 [B—13] [C—15] sts. on to a stitch holder, join in yarn at neck edge and work on remaining sts. to correspond with other side.

THE BACK—Work as given for Back of Pullover with "V" Neck, leaving 21 [B—23] [C—27] sts. on a stitch holder instead of casting off.

THE SLEEVES—Work as given for Sleeves of Pullover with "V" Neck.

THE NECKBAND—Using a fine back stitch seam, sew sleeves to front and back, noting that tops of sleeves form part of neckline.

With right side of work facing and using set of four No. 10 Needles, knit up 86 [B—94] [C—102] sts. evenly round neck, including sts. from stitch holders.

1st round.—* K.1, P.1, rep. from * to end of round. Rep. 1st round fourteen times.

Using a No. 8 Needle, cast off loosely in rib.

TO MAKE UP—As given for Pullover with "V" Neck.

'BEST BEHAVIOUR' (Continued from page 10)

THE SLEEVES—Using No. 10 Needles, cast on 36 [B—40] [C—44] stitches.

1st row.—* K.1, P.1, rep. from * to end of row.

Rep. 1st row fourteen times.

16th row.—Rib 5 [B—rib 7] [C—rib 9], * inc. once in next st., rib 4, rep. from * to last 6 [B—8] [C—10] sts., inc. once in next st., rib to end of row.

(42 [B—46] [C—50] sts.).

Using No. 8 Needles, proceed as follows:—

1st row.—Knit. **2nd row.**—Purl.

Rep. 1st and 2nd rows twice.

Continue in plain smooth fabric, inc. once at each end of needle in next and every following 6th row until there are 68 [B—74] [C—80] sts. on needle.

Continue without shaping until side edge measures 17 [B—19½] [C—20] ins. (or length desired) from commencement, finishing at end of a purl row.

Shape raglan by casting off 4 [B—4] [C—5] sts. at beg. of next 2 rows.

Dec. once at each end of needle in next and every alt. row until 8 sts. remain. Cast off.

Work another Sleeve in same manner.

THE NECKBAND—Using a fine back stitch seam, sew sleeves to back and front, leaving tops of sleeves to form part of neckline. With right side of work facing and using set of four No. 10 Needles, commencing at top of left sleeve, knit up 52 [B—56] [C—60] sts. across top of left sleeve and along left side of neck, knit centre st. from length of yarn, then knit up 52 [B—56] [C—60] sts. along right side of neck and across top of right sleeve and 23 [B—25] [C—27] sts. across back of neck. (128 [B—138] [C—148] sts.).

1st round.—* K.1, P.1, rep. from * to end of round.

Work 7 rounds in rib, dec. once at each side of centre st. in every round, keeping centre st. plain.

Work 7 rounds in rib, inc. once at each side of centre st. in every round, keeping centre st. plain.

Cast off loosely in rib.

TO MAKE UP—Using a flat seam for ribbing and a fine back stitch seam for other seams, sew up side and sleeve seams. Fold neckband in half on to wrong side of work and slip stitch in position.

The appearance of your knitted garment can be enhanced by a light brushing.

THE PULLOVER WITH ROUND NECK

THE FRONT—Work as given for Front of Pullover with "V" Neck to **.

Dec. once at each end of needle in next and every alt. row until 47 [B—49] [C—53] sts. remain.

Work 1 row without shaping.

Shape for neck as follows:—

Next row.—K.2 tog., K.15 [B—K.15] [C—K.16], turn.

Continue on these 16 [B—16] [C—17] sts., dec. once at each end of needle in every alt. row until 6 [B—6] [C—7] sts. remain.

Continue dec. at armhole edge only in every alt. row until 2 sts. remain.

Work 1 row without shaping.

K.2 tog. Fasten off.

Slip next 13 [B—15] [C—17] sts. on to a stitch holder.

Join in yarn at neck edge and work on remaining sts. to correspond with other side.

[Continued on page 18]

'BEST BEHAVIOUR' (Continued from page 17)

THE BACK—Work as given for Back of Pullover with "V" Neck, leaving 25 [B—27] [C—29] sts. across back of neck on a stitch holder instead of casting off.

THE SLEEVES—Work as given for Sleeves of Pullover with "V" Neck.

THE NECKBAND—Using a fine back stitch seam, sew sleeves to front and back, noting that tops of sleeves form part of neckline.

With right side of work facing and using set of four No. 10 Needles, knit up 94 [B—102] [C—110] sts. evenly round neck, including sts. from stitch holders.

1st round.—* K.1, P.1, rep. from * to end of round. Rep. 1st round fourteen times.

Using a No. 8 Needle, cast off loosely in rib.

TO MAKE UP—As given for Pullover with "V" Neck.

Abbreviations

K. = Knit. P. = Purl sts. = stitches.
 tog. = together. wl. fwd. = wool forward.
 alt. = alternate. w.o.n. = wool over needle.
 p.s.s.o. = pass slip stitch over. ins. = inches.
 rep. = repeat. w.r.n. = wool round needle.
 patt. = pattern. t.b.l. = through back of loop.
 beg. = beginning. dec. = decrease. incl. = inclusive. ch = chain. sp. = space. s.c. = single crochet.
 Garter Stitch = every row knit. inc. = increase.
 w.o.h. = wool over hook. d.c. = double crochet.
 tr. = treble. sl. st. = slip stitch. h. tr. = half treble.
 l. tr. = long treble (wool over hook twice).

When instructions read: "Cast off 2 stitches, K.2" (or similar stitches), the stitch on the right-hand needle, after casting off, is counted as one stitch.

'CASUAL KEYNOTE' (Continued from page 5)

THE NECKBAND—Using a fine back stitch seam, sew sleeve tops and extensions to front and back, leaving tops of sleeves to form part of neckline. With right side of work facing and using set of four No. 10 Needles, knit up 88 [B—96] [C—104] [D—112] sts. evenly round neck, (including sts. from stitch holders).

1st round.—* K.1, P.1, rep. from * to end of round.

Rep. 1st round eighteen times.

Using a No. 8 Needle, cast off loosely in rib.

TO MAKE UP—As given for Pullover with "V" Neck.

'CHECKERS SKIRT' (Continued from page 2)

THE RIGHT BACK—Work to correspond with Left Back, working shapings at opposite ends of needle.

1st row of dart shaping will be as follows:—

K.2 tog., K.33 [B—K.36], K.2 tog.t.b.l., K.18 [B—K.19].

THE UNDERNEATH OF PLEAT—Cast on 32 stitches.

1st row.—Knit. **2nd row.**—Purl.

Continue in plain smooth fabric without shaping until work measures 8 ins. Cast off.

TO MAKE UP—Using a fine back stitch seam, sew up back seam to pleat cast off and side seams, leaving an 8 inch opening for zipp on left seam. Sew zipp fastener in position. Cut a length of Petersham to fit waist and sew in position. Sew hook and eye in position at waistline. Sew underneath of pleat to cast off part of skirt and along side edges. Lightly sew top of pleat to skirt. Shrink Petersham ribbon. Place ribbon flat on to wrong side of skirt. Slip stitch lower edge of ribbon to lower edge of skirt, then slip stitch other edge of ribbon to form hem. Finally, steam pleat. For the best results it would be advisable to line this skirt with an inner-lining of material.

The appearance of your knitted garment can be enhanced by a light brushing.

'CHECKERS JACKET' (Continued from page 3)

8th row.—As 6th row.

9th row.—* K.2 C., K.2 M., K.4 C., rep. from * to end of row.

10th row.—* P.4 C., P.2 M., P.2 C., rep. from * to end of row. **

Continue in patt. as given from ** to ** until work measures 16 ins. from commencement, finishing at end of a purl row.

Shape armhole by casting off 6 [B—8] sts. at beg. of next row, then dec. once at armhole edge in every alt. row until 37 [B—43] sts. remain.

Work 16 [B—18] rows without shaping.

Shape neck by casting off 5 [B—7] sts. at beg. of next row, then dec. once at neck edge in next and every alt. row until 26 [B—29] sts. remain.

Work 3 rows without shaping.

Shape shoulder by casting off 9 [B—10] sts. at beg. of next row and following alt. row. Work 1 row.

Cast off.

THE RIGHT FRONT—Using No. 10 Needles and M., cast on 48 [B—56] stitches.

1st row.—* P.1, K.1, rep. from * to end of row.

Rep. 1st row thirteen times.

Using No. 6 Needles, work in patt. to correspond with Left Front, working shapings at opposite ends of needle.

THE BACK—Using No. 10 Needles and M., cast on 96 [B—112] stitches.

1st row.—* K.1, P.1, rep. from * to end of row.

Rep. 1st row thirteen times.

Using No. 6 Needles, work as given from ** to ** for Left Front until work measures 16 ins. from commencement, finishing at end of a purl row.

Shape armholes by casting off 6 [B—8] sts. at beg. of next 2 rows.

Keeping continuity of patt., dec. once at each end of needle in next and every alt. row until 74 [B—86] sts. remain.

Continue without shaping until armholes measure same as Front armholes.

Shape shoulders by casting off 9 [B—10] sts. at beg. of next 4 rows, then 8 [B—9] sts. at beg. of next 2 rows.

Cast off remaining sts.

THE SLEEVES—Using No. 10 Needles and M., cast on 44 [B—44] stitches.

1st row.—* K.1, P.1, rep. from * to end of row.

Rep. 1st row twelve times.

14th row.—Rib 5, * inc. once in next st., rib 2, rep. from * to last 6 sts., inc. once in next st., rib 5 (56 sts.).

Using No. 6 Needles, work in patt. as given from ** to ** for Left Front once.

Keeping continuity of patt., inc. once at each end of needle in next and every following 4th row until there are 84 [B—90] sts. on needle.

Continue without shaping until side edge measures 17 ins. (or length desired) from commencement, finishing at end of a purl row.

Cast off 4 [B—5] sts. at beg. of next 2 rows.

Dec. once at each end of needle in next and every alt. row until 66 sts. remain, then in every row until 24 sts remain. Cast off.

Work another Sleeve in same manner.

THE RIGHT FRONT BAND—Using No. 10 Needles and M., cast on 15 stitches.

1st row.—K.2, (P.1, K.1) six times, K.1.

2nd row.—K.1, (P.1, K.1) seven times. **

Rep. 1st and 2nd rows once.

5th row.—Rib 6, cast off 3 sts., rib 6.

6th row.—Rib 6, cast on 3 sts., rib 6.

Continue in rib, making a buttonhole as before in every following 23rd and 24th rows until 7 buttonholes have been completed.

Work 2 rows in rib. Cast off in rib.

THE LEFT FRONT BAND—Work as given for Right Front Band to **.

Rep. 1st and 2nd rows seventy-five times. Cast off in rib.

THE COLLAR—Using No. 10 Needles and M., cast on 139 [B—143] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—* K.1, P.1, rep. from * to last st., K.1.

3rd row.—K.2, K.2 tog., rib to last 4 sts., slip 1 knitways, K.1, p.s.s.o., K.2.

4th row.—K.1, P.1, * P.1, K.1, rep. from * to last 3 sts., P.2, K.1.

5th row.—K.2, * K.1, P.1, rep. from * to last 3 sts., K.3.

6th row.—As 4th row.

7th row.—K.2, P.2 tog., * K.1, P.1, rep. from * to last 5 sts., K.1, P.2 tog., K.2.

Keeping continuity of rib, dec. once at each end of needle inside 2 side sts. as before in every following 4th row until 119 [B—123] sts. remain.

Work 3 rows without shaping.

Cast off 6 sts. at beg. of next 8 rows.

Cast off remaining sts. by knitting 2 tog. all across row.

TO MAKE UP—Using a flat seam for ribbing and a fine back stitch seam for other seams, sew up shoulder side and sleeve seams. Sew in sleeves, placing seams to side seams. Using a fine back stitch seam, sew front bands in position. Using a flat seam, sew collar in position, placing collar 4 sts. in from front edges. Sew on buttons to correspond with buttonholes. Sew press stud at neckline.

The appearance of your knitted garment can be enhanced by a light brushing.

Published with All Rights Reserved by

PATONS & BALDWIN'S

(AUSTRALIA) LIMITED

REG. OFFICE: 84-94 FLINDERS LANE, MELBOURNE, C.1 • N.S.W. BRANCH: CHURCH AVENUE, MASCOT

Wholly Set Up and Printed in Australia



Trade Marks Registered in Australia

No. 608 PATONS MOHAIR BRUSHED KNITTING YARN



Patons

KNITTING BOOK 608

WITH T.V. DESIGNS

Page 2

2/-